The AS380/15 is a compact and user-friendly micro scrubber/dryer perfect for cleaning in narrow areas.

Perfect for daily indoor scrubbing and drying in light to medium duty areas such as offices, hotels, hospitals, schools, smaller supermarkets and other retail outlets.

With this compact micro scrubber/dryer you can easily clean the floors in narrow areas.

The AS380/15 is easy to use and with handles on the side of the water tank makes it highly user-friendly. The foldable handles makes it easy to transport and storage the machine.

Extremely compact machine that makes it easy to manoeuvre and transport.

- Ergonomic, adjustable and foldable handle
- Extremely compact
- Easy to manoeuvre, transport and storage
- Easy to use and service
- Easy to clean, refill and empty
- Suitable for application in narrow area
- Rotationally moulded tank
- Robust handle lock
- Two tanks system
- Battery and Cable versions EU and UK versions.

#### Standard equipment



Picture shown may not represent model quoted

	Included accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ		
Disc Brush 3	nisc Brush 380 mm							
0	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•		
Battery and C	Battery and Charger							
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1		•			
٩.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•				
On-Board Ch	arger		1					
	CHARGER	VF89023US	0					
Viper Access	ory							
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•		
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	●	●		



	Included accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
$\odot$	BRUSH DISC 380MM 15 PPL	VF89830	1			

Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ			
Disc Brush 3	80 mm								
0	BRUSH 15INCH PLASTIC	VF89801	1	•		•			
Battery and C	Battery and Charger								
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1						
٩.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			•			
On-Board Ch	arger		1		1				
	CHARGER	VF89023US	0						
Viper Access	ory								
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•			
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•			
$\bigcirc$	BRUSH DISC 380MM 15 PPL	VF89830	1		•				

• Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V
Disc Brush 380 mm						
	BRUSH 15INCH PLASTIC	VF89801	1	•		•



All information provided in this document is subject to change without prior notice

	Included accessories	Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V	
Battery and C	Battery and Charger						
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1				
۵.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1				
On-Board Ch	arger						
	CHARGER	VF89023US	0		•		
Viper Access	Viper Accessory						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•	
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•	
$\bigcirc$	BRUSH DISC 380MM 15 PPL	VF89830	1		₽		

Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ		
Disc Brush 3	80 mm					
0	BRUSH 15INCH PLASTIC	VF89801	1	•		
Battery and C	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
٩.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			
On-Board Ch	On-Board Charger					
	CHARGER	VF89023US	0			
Viper Access	Viper Accessory					
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•		



# Scrubber dryers

## Cost effective cleaning is now even easier to use

	Included accessories		Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19		VF89808	1	•
$\bigcirc$	BRUSH DISC 380MM 15 PPL		VF89830	1	
Model		AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-Uk SCRUBBER 2 50/60HZ	AS AS	380/15C-EU 15 -240V 50/60HZ
Ref. no.		50000199	50000200		50000201
PRODUCT F	EATURES				
Compact des Adjustable ha Battery includ	andle	• •	•		•
Model		AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-CN SCRUBBER 2 50/60HZ		S380/15B-TR RUBBER 24V 50/60HZ
Ref. no.		50000202	50000205		50000211
PRODUCT F	EATURES				
Compact des Adjustable ha Battery includ	andle	•	• •		• •
Model		AS380/15C-TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 2	CAR	S380/15C-AU LE SCRUBBER 230-240V
Ref. no.		50000212	FANG15B		50000323
PRODUCT F	EATURES				
Compact des Adjustable ha Battery includ	andle	•	•		•



Model			AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ
Ref. no.			50000322
PRODUCT FEATURES			
Compact design			•
Adjustable handle			•
Battery included			•
Technical specifications	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230-240V 50/60HZ
Cable length (m)/ plug type	-	-	15/EU
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	2X12V/33Ah/C20	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	68	68	72
Productivity rate (m <sup>2</sup> /h)	750	750	750
Brush speed (RPM)	150	150	140
Battery compartment size (L x W x H) (mm)	262x196x175mm	262x196x175mm	-
Gross weight (gvw) (kg)	65	65	44
Operating weight (kg)	60	60	40
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Squeegee width	490mm	490mm	490mm
Solution/recovery tank capacity	15/15L	15/15L	15/15L
Technical specifications	AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Cable length (m)/ plug type	15/UK	-	-
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	-	2X12V/33Ah/C20	2X12V/33Ah/C20
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	72	68	68
Productivity rate (m <sup>2</sup> /h)	750	750	750
Brush speed (RPM)	140	150	150
Battery compartment size (L x W x H) (mm)	-	262x196x175mm	262x196x175mm
Gross weight (gvw) (kg)	44	65	65
Operating weight (kg)	40	60	60



### AS380/15

## Cost effective cleaning is now even easier to use

Technical specifications	AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Squeegee width	490mm	490mm	490mm
Solution/recovery tank capacity	15/15L	15/15L	15/15L
Technical specifications	AS380/15C-TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C-AU CABLE SCRUBBER 230-240V
Cable length (m)/ plug type	15/EU	-	15/AU
Brush motor (W)	250	1/3hp	250
Vacuum motor power (W)	300	1/3hp	300
Battery type	-	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	72	68	72
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	140	150	140
Battery compartment size (L x W x H) (mm)	-	262x196x175mm	-
Gross weight (gvw) (kg)	44	135lbs	44
Operating weight (kg)	40	124lbs	40
Dimensions L x W x H	780x415x590mm	30x20x21.7in	780x415x590mm
Pad/Brush Size	380mm	20in	380mm
Squeegee width	490mm	20in	490mm
Solution/recovery tank capacity	15/15L	3.5gal	15/15L
Technical specifications			AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ
Cable length (m)/ plug type			-
Brush motor (W)			250
Vacuum motor power (W)			300
Battery type			2X12V/33Ah/C20
Vacuum (mm H2O)			800
Sound pressure level (dB(A))			68
Productivity rate (m²/h)			750
Brush speed (RPM)			150
Battery compartment size (L x W x H) (mm)			262x196x175mm
Gross weight (gvw) (kg)			65
Operating weight (kg)			60
Dimensions L x W x H			780x415x590mm



All information provided in this document is subject to change without prior notice

Technical specifications	AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ
Pad/Brush Size	380mm
Squeegee width	490mm
Solution/recovery tank capacity	15/15L

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Image: Pige of the second s	VF89502 VF89503 VF89801 VF89023UK VF89023EU	1 1 1 1 1 0	•	•	•
19       BLADE SQUEEGEE REAR GUM RUBBER 490MM         Disc Brush 30       mm         Image: Stress of the stres	VF89503 VF89801 VF89023UK VF89023EU	1 1 1 1 1	•	•	•
BLADE SQUEEGEE REAR GUM RUBBER 490MM 19         Disc Brush 380 mm         Image: Series and S	VF89801 VF89023UK VF89023EU	1	•	•	•
Image: Sector of the sector	VF89023UK VF89023EU	1	•	•	•
Battery and Charger         KIT CHARGER 24VDC 50-60HZ       V         Image: Strain S	VF89023UK VF89023EU	1	•	•	•
KIT CHARGER 24VDC 50-60HZ       V         Image: Strain	VF89023EU	1	•	•	
Image: A constraint of the constrai	VF89023EU	1	•	•	
On-Board Charger         CHARGER       V         Viper Accessory         BLADE SQUEEGEE FRONT GUM RUBBER 490MM         19         BLADE SQUEEGEE REAR GUM RUBBER 490MM			•		
CHARGER     V       Viper Accessory     BLADE SQUEEGEE FRONT GUM RUBBER 490MM       19     BLADE SQUEEGEE REAR GUM RUBBER 490MM	VF89023US	0			
Viper Accessory         BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19         BLADE SQUEEGEE REAR GUM RUBBER 490MM	VF89023US	0			
BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19 BLADE SQUEEGEE REAR GUM RUBBER 490MM					
19 BLADE SQUEEGEE REAR GUM RUBBER 490MM					
	VF89807	1	•	•	•
	VF89808	1	•	•	•
BRUSH DISC 380MM 15 PPL	VF89830	1			
PAD HOLDER 381MM 15	VF89817	1	0	0	0
Squeegee Blade					



	Accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0	0	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0	O	0
Battery		I				
	BATT.12V-28AH AGM MONOBLOC	80561228	0			

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Squeegee, E	Blade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1			
	BLADE SQUEEGEE REAR GUM RUBBER 490MM	VF89503	1			
Disc Brush 3	80 mm				1	
0	BRUSH 15INCH PLASTIC	VF89801	1	•		•
Battery and	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
۵.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			•
On-Board Ch	harger				1	
	CHARGER	VF89023US	0			
Viper Access	sory					
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1		•	



Accessories		Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
	PAD HOLDER 381MM 15	VF89817	1	0	0	0
Squeegee Blade						
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0		0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0		0
Battery						
	BATT.12V-28AH AGM MONOBLOC	80561228	0			

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V
Squeegee, B	lade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1		0	
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1		0	
Disc Brush 3	80 mm					
0	BRUSH 15INCH PLASTIC	VF89801	1	•		•
Battery and C	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
۵.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			
On-Board Ch	On-Board Charger					
	CHARGER	VF89023US	0		•	
Viper Accessory						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•



Accessories		Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
$\bigcirc$	BRUSH DISC 380MM 15 PPL	VF89830	1		•	
	PAD HOLDER 381MM 15	VF89817	1	0	0	0
Squeegee Blade						
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0	0	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0	0	0
Battery						
	BATT.12V-28AH AGM MONOBLOC	80561228	0			

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ	
Squeegee, B	lade, Skirt and Splash Guard				
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1		
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1		
Disc Brush 3	80 mm				
0	BRUSH 15INCH PLASTIC	VF89801	1	•	
Battery and C	Battery and Charger				
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1		
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1		
On-Board Charger					
	CHARGER	VF89023US	0		



	Accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ
Viper Access	ory			
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•
$\bigcirc$	BRUSH DISC 380MM 15 PPL	VF89830	1	
	PAD HOLDER 381MM 15	VF89817	1	0
Squeegee Blade				
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0
Battery				
	BATT.12V-28AH AGM MONOBLOC	80561228	0	

